GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Higher Education - Dr. YSR Architecture and Fine Arts University - Requesting to sanction funds for purchase of laboratory material to the school of planning and architecture and college of fine arts constituted under Dr. YSR Architecture and Fine Arts University, Kadapa- Administrative Sanction – Orders – Issued.

HIGHER EDUCATION (EC) DEPARTMENT

G.O. Rt. No.20 **Date:03.02.2023**

Read the following:

1) The Registrar, Dr. YSR Architecture and Fine Arts University, Kadapa, Rc. No.Estt./Dr. YSRAFU/4 th M&DC/2021-1, dated: 01.10.2022.
2) Government Letter No. 1877386/HE.EC/2022, Dt. 8/12/2022.
3) The Registrar, Dr. YSR Architecture and Fine Arts University, Kadapa, Rc. No.1931261/B1/2022, Dated: 01.10.2022.

ORDER

The Registrar, Dr. YSR Architecture and Fine Arts University, Kadapa, in his letter 1st read above has reported that YSR Architecture and Fine Arts University, Kadapa, in its 4th M&DC meeting held on 29.12.2021 have resolved to purchase Laboratory Material for 28 Labs to the School of Planning and Architecture and for 24 Labs to the College of Fine Arts and also resolved to submit proposals to the Government to sanction an additional funds of Rs. 6.00 crores towards purchase of Lab materials to the School of Planning and Architecture and College of Fine Arts constituent colleges of Dr. YSR Architecture and Fine Arts University during the current financial year 2022-23.

2, After careful examination, the Government hereby accorded an Administrative Sanction to the Registrar, Dr.YSR Architecture and Fine Arts University, Kadapa for an amount of Rs. 6.00 Crores (Rupees six crores) towards purchase of Laboratory Material as indicated in the Annexure for use of 28 Labs to the School of Planning and Architecture and 24 Labs to the College of Fine Arts University.

3. The Registrar, YSR Architecture and Fine Arts University, Kadapa shall take necessary action in the matter.

4) This order is issued with the concurrence of the Finance Department vide their UO No. FIN01-FMU0MISC/561/2022-FMU-THE (computer No. 1915892)

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SYAMALARAO JAMJAM
PRINCIPAL SECRETARY TO GOVERNMENT

To:
The Registrar, YSRAFU, Kadapa
Copy to:

(Contd..2)

The Higher Education (OP) Department
The Finance Department
PS to Principal Secy to Govt. , Higher Education Department

// FORWARDE BY::ORDER //

SECTION OFFICER

ANNEXURE

(G.O. Rt.No.20, Higher Education (EC) Department, Dt.03.02.2023)

Sl. No.	Product Name	Description	Quantity
1	TOTAL STATION	Leica Flex Line Tso1-5", R500 Package With Refelcetor LessR500 EMD, 1full Numeric Keyboard With Black & White Display , Wifi And USB Interface, Laser Plummet, On Board Field Software Package, With 1 Tribrach, 1 GEB 264 Battery,1 GKL264 Charger, Quick Guide And Container (GVP728) With Protective Foil And Cleaning Cloth	1
2	USHA MEMORY CRAFT 15000 SEWING AND EMBROIDERY MACHINE	ATA PC Card Port:No Backlit Lcd Screen:YES EMBROIDERY DESIGNS 480 BUILT IN PROGRAMMING FONTS:11 Built In Running Embrodiery Stitches :500 BUILTIN Memory 4mb Design Rotation Capacity :Yes Speed 1000spm Format JEE JEF JPX Area 230cmx300cm Needle Threading : Yes Number Of Hoops:5 Optional Hoops 5 Standrad Hoops 5 Speed 1060 Spm Usbport:Yes Type Of Switches Available 2	1
3	AC110V UPGRADE ACRLIC PLASTICPVC BENDER BENDING MACHINE	52"Acrylic Plastic PVC Bender Bending Machine Thickness1-10mm Voltage:AC110v,Power 1500w,Maximum BendingWidth 1250 52"(1300mm) Upgraded Acrylic Plastic Pvc Bending Machine Heater For Lightbox(With Infrared Ray Calibration Angle And Length Adjuster,1-10mm Thickness	1
4	YIHUA 853AAA3IN 1SMD RETWORK SOLDERING STATION	Rated Voltage Ac220v+10% 50hz Power Rating 1270w Working Environment Relative Humanity<80% Storage Environment With Relative Humadity<80% Body Dimension 1320xw220xh100mm 5mm Weight 6.5 Kg	1
5	BENCH PILLARDRILL	Bench Mount Bench, Drill Type-Pillardrill Wattage-350w Chuck Size 13mm Table Size 160x160mm Maximum ChuckTo Table -220m Overall Height 590mm Collar Diameter 46mm Maximum Stroke -50mm Plug Type C Euro Plug	1

6	BOSCH DRILL DRIVER BOSCH	Power Source Battery Powered Colour :Blue Voltage 12 VoltsSpeed 1500 RPM Item Dimension Lxwxh 29.9x26.6x9 Centimeters Maximum Chuck Size 10 Millimeteers Weight: 1.82 Kgs Items Torque 30 Newton Meters	1
7	MILTER SAW 1800 W YT-82173	Type Of Product:Milter Saw No Load Speed:5400RPM Frequency:220-240 V/50 Hz Power Source:Corded Size:255mm Consupmtion:1800w Length 90/305/45/210mm	1
8	4350CT 720 W2.5 KG JIGSAW	Max Cutting Capacity For Steel 10mm Max Cutting For Wood 135mm Power Input:720w No Load Strokes:800-2800 SPM Weight 2.5kg, Anti Splitering Device	1
9	RECYLABLE SAND BALSTER	Power 20w Weight 14kg Sand 60 Pressure 6kg Model :Ud-O25 Warranty 1 Year Voltage 220v 50hz	1
10	PLATE JOINER	Continuos Rating Input 701 W Blade Diameter"100mm No Load Speed(Rpm) 11000 Dimensions(Lxwxh) 302x139x145mm Net Weight 2.8 Kg Power Supply Cord 2.5 M(8.2 Ft)	1
11	CIRCULAR SAW	Blade Diameter: 190/185mm(7-1/1/7-1/4") No Load Speed 6000 Max Output 1300w Cutting Wood:2.5m/S Cutting Metal 2.5m/S 0r Less Sound Pressure Level 93db(A) Sound Power Level 104db(A) Dimensions(Lxwxh) W/Bl4040/Bl4025:316x200x290mm(12-1/2x7-7/8x11-3/8") W/Bl4040:331 X200 X290 Mm (13x7-7/8x11-3/8") Netweight 4.1-4.4kg (9.0-9.7lbs)	2
12	ANGLE GRINDER	Rated Input Power 1700w No Laod Speed 2800-11500rpm Disc Diameter 125mm Powerinpit 1010w Rubber Backing Pad,Diameter Wire Cup Brush,Diameter 75mm Tool Dimension 103mm Weight 2.5kg Switch Lockable Switch	2
13	BOSCH BENCH GRINDER	Grinding Wheel Diameter 150mm Rated Input Power 3590w Grinding Wheel Widths 20mm No Load Speed 3000rpm Grinding Wheel Bore 20mm Grit 24,60 Weight 10kg Tool Dimension 175mm (Width) Tool Dimension 325mm (Length) Tool Dimension 200 (Height)	2
14	MENTAL SHEAR	Item Dimension Lxmxh 588x2.75x11.75 Inches Able To Cut Up To 18GA Material 360 Degree Swivel Head For Maneiverabilitu Conncets Via Standard 1/4-Inch Hex Shank Connects Via Standard 1/4-Inch Hex Shank Compatable With Most 18v -2ov Impact Driver And Drills	2

15	FACOM 12 PIECES HEX KEY SET	Imperial Or Metricmetric Number Of Pieces 12 Hex Key Size 1.5mm,2.0mm,2.5mm,3.0mm,4.0mm,5.0mm,6.0mm,7.0mm,8.0mm,9.0mm,10mm,12mm. Short Or Long Hex Key Type Hexagon	5
16	2 IN GLASS/TILE CUTTER,HAND TOOL FOR CUTTING GLASS,MIRROR,CERAMIC TILE, GLAZED TILES	Package Dimension: 18.54x14.48x5.59cm,408 Grams Material:Steel Weight:0.5kg Package Inclusions;1pc Easy Glide Glass & Tile Cutte	5
17	CNC ENGRAVING& ROUTING MACHINE	Material Mild Steel Job Materail Wood,Mdf,Solid,Surface,Brass,Hylam.Etc Spindle Power 6kw Machines Type CNC Max Job Size 4x8 Power 10kw Controller Pcl Base	1
18	DISPLAY RACKS	Any Company	15
19	SEMI AUTOMATIC INDUSTRAIL LATHE MACHINE	Automatic Grade Semi Automatic Lathe Machine Type Floor Lathe Max Swing Over Bed 0-250mm-250-500mm,1000- 1500mm>1500 Max Spindle Speed3000-4000rpm Max Turning Diamter 2000-2500mm>2500mm	1
20	BENCH DRILL PRESS MACHINES	Drilling Capacity 18mm Motor Power 0.75 Speed 1440rpm Voltage 220-240v Frequncy 50-60hz	1
21	SPOT WELDING MACHINE	Type Hand Spot Model Ramalo Rated Input Power 16kva Welding Rod 1-2mm Metal Voltage 440v Automatcj Grade Manual	1
22	ARC WELDING MACHINE	Current Range 100-200a Phase2 Voltage 220v No Load Voltage 13.5mm Weight 6kg Power 6kw Dimension 360x182x300mm	1
23	BELT GRINDER	No Load Speed 330-880 Rpm Size 36 Inch Power Consumption 372 No Load Speed 1440 Spindle Lock Yes Weight 1.8 Kg Lock On -Off Switch Yes Pahse One Supply Power 230v/50 Hz Dimensions 660x430x290mm Drilling Depth 25mm	1
24	FLY PRESS	Power Consumption Manual Press Automatic Grade Manual Material Steel	1
25	AIR COMPRESSER	Horse Power 20hp Output Pressure 70kgs/Cm2-1000pslg Model Name: Gc 65t2 Pressure Up To 70kg/Cm Air Tank Capacity 500 Flow Rate 51-120mm Piston Displacement 41/49cfm	1
26	VACUUM FORMING MACHINE	Material Application PET,PP,HIPS,PC PS,PVC Automatic Grade Automatic Semi Automatic Manual Body Material Iron Max Forming Iron Body Iron Brand Techno Ua=Sage Industrial Material Iron Product Type Forming Machine Display Digital	1

27	ULTRASONIC WELDING MACHINE	Frequency 30 Khz Voltage 220v Weight 150kgs Dimesnions 1300x1500x2200mm Consumption 3kw	1
28	MISCELLOUS TOOLS & EQUIPMENT	Hot Glue Gun/Glue X-Auto Knife Hammer Screw Driver/Drill Ruler Cutting Mat Work Bench Grinding Station	1
29	3D PRINTER	This 3D Prinetr Feature 280mmx280mmx285mm Build Size Dimensions And Offers Repeatable Accurate Results The Removable And Flexible Build Surface Has A Pel Coated Build Surface That Provides Good Material Adehsion And Detachment Syndaver 3D Printer Delivers Dimensionally Accurate Results Due To Its Large Build Volume And Rugged Frame Design	1
30	HP DESIGN T830-36-IN MULTIFUNCTION WIFI PLOTTER PRINTER-36",A0 SIZE	A0 Colour HP Design Jet Large Format Printer,Copy,Scan,Speed Up To 82 A1 Prints Per Hour Ethernet,Usb,Wifi	2
31	PRECISE LASER CUTTING MACHINE (I7 SERIES)	Capacity 4kw(At 25mm) Laser Power 2700w Cutting Speed 140m/Min Automation Grade Automatic Power 380v Weight 7500kg Table Area 3000x1500mm Speed 100m/Min Precison 0.05 Speed 1.2g Accuracy 0.05mm/M Weight 7000kg Dimensions 8100x2900x2100mm	1
32	MISCELLANEOUS TOOLS & EQUIPMENT	Foam Board,Box & Mount Board Foam Board Cutters Big & Small Cutters-Blades All Scales Xall Adhesives Glass Palt Forms Cooper Material Sponges All Color Mediums Bending Tools Saw Dust Pop All Type Of Color Sheets	20
33	WACOM CLINTIQ TABLECT	Wacom Cintiq Pro 32	3
34	HAND HELD GPS	Garmain Usa Make Handheld Gps With Aceesories	1
35	DIGITAL CAMERA	Nikon DSLR	1
36	METRIC CHAIN WITH 10 ARROWS	30 Meters IS Type & 20 Meters IS Type	2
37	PRISMATIC COMPASS WITH TRIPOD	Size 100mm Material: Stainless Steel	2
38	PLANE TABLE & ITS ACCESSORIES	Tripod,Plain Alidade, Spirit Level,Through Compass,Plumbing Fork,Plumb Bob	2
39	RANGING RODS MS STEEL	3m	10
40	THEODOLITE SET	Vernier Transit Theodolite With Tripod And Levelling Staff	2

41	DUMPY LEVEL SET	Dumpy Level With Tripod And Levelling Staff And An Accuracy Of 1mm	2
42	TOTAL STATION SET	Reflector Less With Dual Side Display Having 1 Least	1
43	METAL ARROWS	400mm Long	16
44	MEASURING TAPE	30m Length- Plastika	4
45	BOX SEXTANT WITH TRIPOD STAND	Size: 3" X3"X1.75"	1
46	OPTICAL SQUARE	Ranging Poles 90 Degree- Brass Prism Type	1
47	PLANIMETER	Digital Tyoe	1
48	CROSS STAFF WITH POLE	Steel	2
49	DIGITAL THEODOLITE	With Tripod & Levelling Staff	2
50	LASER DISTANCE METER	60 Mts Range	2
51	DIGITAL AUTO LEVEL	1. Main Unit 2.Lenscap, Vinyl Cover, Cleaning Cloth,Tool Kit 3.Operation Manual & Carrying Case 4.CST Export Quality Stand	1
52	PROJECTORS		2
53	TRACK LOCKER		40
54	NITRIC ACIDS/PASPALIC ACID		2
55	SEGDI HEATER	20000w Or 50000 W (Electric Coil Heater) Or Electric Heater	1
	PLATE BIG		
56	STEEL SPATULA FOR MIXING		10
57	STEEL WOOL		3
58	BRASSO METAL POLISH LIQUID 500ML		5
59	GOLD AND SILVER FILES FOR USING PLATE BACK		50
60	SQUEEGEE 4 INCH		5

61		Bosch Gws 600 Professional Angle Grinder Metal	1
62		Hacksaw Frame Big And Small Each 12 Inches	4
63	DISPLAY BOARD		21
64	GRINDER	Portable Electric Angle Grinder With Side Handy MetalCutting (Wood Grinder) Bosch	1
65	BENZENE		5
66	SCRAPING FILES	Hard, Medium,Soft	2
67	SOFT BOARD PINS		10
68	TOOLS	Woodcut Tool Abrasive Steel Wool / Breacher Tool	5
69	ABRASIVE STEEL WOOL		5
70	WOODCUT HANDS ROLLS	4 And 7 Inch	4
71	INK BLACK	Letter Press	5
72	LIGHT BOX	Custom Made	25
73	A/3 SCANNERS		6
74	A/3 SCANNER (COLOU)		1
75	LEAD BOX	(2B Staedtler Pencils 0.5)	25
76	POSTER COLOURS 24 SHADE BOX	24 Shades Box	5
77	PHOTOGRAPHY ACEESORIES		
78	SCREW DRIVER	Insulated :No ASME Specifications: Meets Or Exceeds BladeType:Round Tether Ready : No Handle Color : Black & Molten Orange Handle Material :Dual Material Tip Finish : Black Oxide Size:3/16 In 1/4 In 5/16 In 3/8 In #0#1#2#3 Packing :Carded Weight:2.085	5
79	18 SPANNER	Handle: Straight Finish: Black Oxide Set Size Range Min: 1/4",#0 Magnetic :No SAE/Metric/Torx :Phillips Slotted UPC:099575080517 Set Size Range Max :3/8",#3 Set Imcluded Storage :Tray Set Piece Count 12 Material: AlloySteel	2
80	STOOLS		25
81	LINE TEST MACHINE		2

82	PROJECTOR	Egate I9 Pro Max Full Hd 1080p	3
83	DISPLAY LAB		9
84	MIC	Wireless	2
85	AMPLIFIER	75w,Frequency Response:50-15,000Hz+3db	1
86	SPEAKERS	50w	2
87	SOUND RECORDING & EDITING SOFTWARE	Adobe Sound Booth	1
88	DRAWING TABLES		5
89	CAMERAS	Canon Eos 80d Dslr Camera Body With 18-135 Mm Lens Canon Eos 135mm Usm Macro Prim Lens For Canon Digital Slr Camera, Canon Ef 50mmf/1.8 Stm Lens (Black,50mm),Geographic Travel Photo Adjustable 158cm	
		Tripod Kit For Dslr Camera And Mirror Less Camera(Upto 8kg,NGTROO4TCF,Black), Sandick Extreme Pro 128gb Class3/Uhs-1 Sdxc Memory Card(170 Mb Read Speed,Sdsdxxy-128G-GN4IN, Godox On Camera Flash For Canon Cameras(76 Watts,V1-C,Black), Godox Xms200 Studio Light Pair With Soft Box And Remote,Godox Ox Ms 200 Studio Light Pair Wifi, Godox Ms200 Studio 2 Pairs,Vts 80x80cm Portable Photo Studio Shooting Tent Light Cube Diffusion Soft Box Kit With 4 Colours Back Drops(Red Blue Black White Matte) For Photography ,Godox FPT-60130 Foldable Photo Table ,Wild Craft Shutterbug Pro Camera Pack-Black	
90	HEAT ENGINE		1
91	COMPRESSOR		1
92	SOLAR HEATER		1
93	AIR FILTER		1
94	WINDOW AND SPLIT AC WITH ALL PARTS		1
95	FAN	Propeller,Centrifugal,Vane Axial Fan	1
96	SILVER ROUND ALUMINUM DUCT		1
97	ROUND AIR DAMPER		1

98	REFRIGIRATOR PARTS		1
99	CHARTS		1
100	AIR FILTERS		1
101	KIT	Electrical Adavaced Tool	1
102	SWITCH&MCB	Single & Three Phase	1
103	CABLE	Single & Three Phase	10
104	TERMINAL BOX		1
105	CIRCUIT BREAKER	Single & Three Phase	1
106	INSULTOR	Advanced Made Of Rubber	1
107	DOMESTIC PUMP		1
108	CLAMP METER	Standard	1
109	ELECTRICAL TOOL KIT FOR WIRING	Standard	1
110	FLUORESCEBT TUBE SET UP	25W	1
111	SOFTWARES	Auto Desk Maya,Unity FLASH,Blender,Photoshop,Python,Java,C,C++,Revit,Ecotech,Google Sketch	1
112	ARCGIS 10.8.1	ESRI Software-Arcview,Arcview Spatial Analyst,3D Analyst, Arcview Image Analysis, Tracking Analyst, Network Analyst, Geostatiscal Analyst, Arc Info, Arc Editor, And Arc Pad	1
113	AUTO DESK	Autocad 2021	1
114	MS OFFICE	Office 365 Education (Licensed Version)	1
115	GOOGLE EARTH PRO	Google Earth Pro Version 7.3	1
116	DGPS	EMLID REACH RS2-Base And Rover,EMLID RS2 Multiband RTK GNSS Receiver And Related Accessories	70
117	MAPIT GIS PRO 7.8.3.0	Software For Data Collection	200
118	TWO WAY SWITCH	240v,20A	1
119	RESISTORS	Different Types	20
120	TRANSFORMER		3
121	WORKSHOP		1

122	PIPE DIE SET	0.5 To 1 Inch	1
123	HAMMER SLEDGE	2 Pound	1
124	JUMPER BIT SET	6mm	1
125	WHEEL CUTTER	Up To 2inch	1
126	SPANNER SET	All Sizes	1
127	SPIRIT LEVEL	2feet	1
128	TRY SQUARE	Small	1
129	PILLAR COCK	0.5 Inch	1
130	ANGLE COCK	O.5 Inch	1
131	VALVE	Ball,Gate,Check ,Nonreturn,Globe,Foot(1 Inch)	1
132	PUMP PLIER	12 Inch	1
133	HACKSAW	High Quality	1
134	FIRE FIGHTING TOOL KIT	12 Tools In 1kit	1
135	DRILL MACHINE	Size 10mm Corded	1
136	PORTABLE CO2 METER TO MEASURE AIR QUALITY	Relative Humidity ,Co2 Level In Ppm,Temp,Dimensions 36.7x22.71x8.1cm Weight 180 Grams Sticks 01 Battery Aa ,Liquid Crystal Display,Handled Digital Meter	1
137	UPS	Laboratory	1
138	LAN AND HIGH SPEED CABLE		1
139	FURNITURE AND TABLES		10
140	AGGREGATE CRUSHING VALUE APPARATUS	150mm IS 9376-1979 Used For Determing The Aggregate Crushing Value,The Apparatus Consist Of A Steel Cyclinder 150mm Dia, A Plunger And A Steel Base Plate.The Surfaces Coming Into Contact With The Aggregate Are Case Hardened	2
141	AGGREGATE IMPACT TEST APPARATUS WITH COUNTER	IS:9377-1979 Requred For Determining The Impact Value OfCoarse Aggregate It Consist Of The Following 1.A Heavy Circular Base With 2 2.13.75kgs 3.10mm Dia X 230 Mm Long	1
142	LOS ANGELES ABRASION	IS:10070-1982 ,Distance 1250,30-33rpm,Tray,48mm Dia EachWeighing Between 390 And 445g.Suitable For Operation On	1
	TESTING MACHINE	440 V,50hz,3 Phase Supply	

143	THICKNESS & LENGTH GAUGE	IS: 2386-1963	4
144	DENSITY BASKET	20cm Dia X20cm High	2
145	DUCTILITY TESTING MACHINE	5cm/Min &1 Cm/Mm,230vsph-50hz	1
146	RING AND BALL APPARATUS	220v,50 Hz	1
147	PENSY MARTENS FLASH POINT	HF 58.30 ,220v,50hz,Single Phase Supply	1
148	MARSHAL STABILITY TEST APPARATUS	HB64.05,Load Frame 50k Ncap,RAMMERS-2,BREAKING ASSEMBLY-1,LOAD CELL:50kn,Digital Display	1
149	STANDARD TAR VISCOMETER	HF 60.02 ,220V,50 Hzsinglr Phase Supply	1
150	TAPES	30mm,15mm	5
151	TOTAL STATION TRIPOD & CROSS STAFF	Absolue Encoder Machine With 1 Least Count,2 " Accuracy Standard(2mm+2x10-6xd)Mm 600mt 5000mt 1,20,000 Points In Internal Memory And 16GBSSD&Mini Usb RS-232 Port For The Dta,Accessories:1xtripod,1xprism&1xprism Pole	1
152	PYCNOMETER	IS:2720 1 Kg Capacity Complete With Brass Cone,Rubberseal And Screwed Cap	2
153	DENSITY BOTTLE	100ml With Capillary Veny Leak Proof Stopper	2
154	HYDROMETER	10% Of 75 Micron IS Sieve Passing Material.Hydrometer Marked From 0.995 To 1.030	2
155	GLASS JAR	1000ml Glass HS10.37 Hydro Meter	2
156	HIGH SPEED STIRRER	8000 To 10000 R.P.M,Dispersion Cup Made Of Brass	1
157	CORE CUTTER	Dia 130mm ,100mm Inner X25mm	2
158	SAND POURING CYCLINDER	115mm,100mm Inner Dia And 150mm Deep With Flange 50mm Wide.,Metal Try 300mm Suqarex40 Mm Deep With A	2
		100mm Dia Hole At The Centre	
159	LIQUID LIMIT DEVICE,HAND OPERATED WITH COUNTER	TYPE A And Gauging Block Asper IS:9259 &IS:2720	2
160	PLASTIC LIMIT APPARATUS	Glass Plate 200mmx150mmx3mm,Brass Rod 3mm Dia,100mm Long.,Flexible Spatula With 80mm Long,20mm Wide Blade,Moisture Cans,12 No	2

161	SHIRINKAGE LIMIT APPARATUS	75mm Of 3mm Plate,75mm Of 3mm Acrylic Sheet,Stainless Dish 45mm,15mm Deep.Glass Cup With Ground Edge ,Spatual With 80mm Lonhg,20mm Wide Blade	2
162	PROCTOR COMPACTION TEST	100mm Internal Diax127.3mm Height,1000ml Volume	2
163	PROCTOR COMPACTION TEST	2.6Kg Weight,50mm Dia Compaction Face,320mm Controlled Free Vertical Fall	2
164	MODIFIED PROCTOR TEST APPARATUS	150mm Internal Diax127.3mm Height,2250ml Volume	2
165	MODIFIED PROCTOR TEST APPARATUS	4.89kg Weight,50 Mm Dia Compacting Face,450mm	2
166	UNIVERSAL PERMEAMETER	6mm To 75mm,1000ml Capacity With Detachable Collar,50mm High,One Base Plate,Metallic Perforated Sweel Plate And A Solid False Bottom Plate For Compaction Of Soil	1
167	UNCONFINED COMPRESSION	1.25mm,1.5mm And 2.5mm/Min And Dial Gauge Holder,150mm, Cone Seating-20 Nos,5kn Capacity Dial Gauge 0.01x25mm	1
168	LABORATORY CBR	1.25 Mm/M,220v,50 Hz,Single Phase 150mm Base Plate And Collar Inner Dia X175mm ,Made Of MS Cutting Collar,10KN Capacity Weight 2.5kg,Annular One Surcharge Weight 2.5 Kg Slotted.Dial Gauge 0.01mmx25mm.	1
169	DIRECT SHEAR	1.25,0.625,0.25,0.125,0.05,0.025,0.01,0.005,0.002,0.001,220v, 50hz ,60mm ,6mm 8kg/Cmon 60mm ,Spice Cutter For A Specimen Size Of 60mmx60mmx25mm.	1
170	MERCURY	750gm	1
171	GRAIN SIZE	200mm Dia,Spun Brass Frames Size	2
	ANALYSIS	4.75mm,2.36mm,1.18mm,600micron,300mic,150mic,75mic &Lid & Pan	
172	HOT AIR OVEN	605x6-5x605mm Ambient To 250 Degree.C.	1
173	SPT TEST APPARATUS	65kg,With Chain Height Of 75mm,Tripod Stand 6 Meter High Connected By A Tie Bolt ,5 Meter Long Each Leg Is Made Of Two Parts ."A" Drill Rod 1.5 Meter Long."A" Drill Rod 3 Meter Long.Sampling Auger D	1
174	GLASS MEASURING CYCLINDER	1000ml,500ml,250ml,100ml,50ml,25ml	2
175	ELECTRONIC WEIGHING BALANCE	Capacity 5kg,0.1 Gm. Readability And 5gm	3 & 2
176	LASE DISTANCE METER	60 Mts Range	2

177	DOUBLE WHEELED METER	Metal	2
178	LABORATORY CBR	1.25 Mm/M.220v,50 Hz,150mm Base Plate Dia X175mm High Made Of Mild Steel,10KN Capacity,Weight 2.5kg Annular,2.5kg Slotted,0.01mmx25mm. Proving Ring And Dial Gauge	1
179	TROWEL	1.5 Mm And 100 To 150mm IS:10086-1982	3
180	SIEVED 200MM SPUN BRASS FRAME	Size:4.75mm,2.36mm,1.18mm,600mic,Lid And Pan	1
181	STANDARD TEST SIEVES	300mm Size: 20mm,16mm,12.5mm,10mm,4.75mm,2.36mm, 1.18mm,40mm ,25mm,6.7mm,6.3mm,Lid And Pan	1
182	LE CHATELIER WATER BATH	Power : 230 Viph 50/60Hz 1800w Dimesions:405x265x205mm,Weight : 7kg Approx	1
183	MICROPROCESSOR CONTROL BASED COMPRESSION TESTING MACHIMNE 2000 KN	516/IS :4031:Part 6:1988/ASTM C39 For 14858 Micro Processor Based Touch Panel Graphic Display To Control TheMachine Operation And Display Of Data .Safety Limits For Over Load And Over Displacement Ranges	1
184	SILVER	Silver Schmidt Hammer With Measuring Range 10 To 70 Mpa	1
	SCHMIDIT CONCRETE TEST HAMMER PC,TYPE N	With Extended Memory Capacity,Custom Curves Data Download To Pc Full Hammer Link Software Functionality,Standard Accessories With Usb Cable,Software,Strap,Grinding Stone,Chalk,Carrying Bag	
185	VICAT APPARATUS	IS: 5513-1976 For Determination Of Consistency Of StandardCement Paste And Initial And Final Setting Times Of CementThe Equipment Comprises The Following: A Frame With A Vertically Movable Rod Having A Cap ,Diamter 60mm Top 70mm Height 40mm.	1
186	LE CHATELIER MOULD	30mmdiax30mm High Made Of Spring Brass With TwoIndicator Arms,One Lead Weight 100g	1
187	SLUMP TEST	38mm,100mmdia At The Top,200mm Dia At The Bottom,300mm High,1.6cm Dia And 60cm Long With OneEnd Rounded And Graduated From O To 15cm In 0.5cm .	1
188	CUBE MOULD	150mm With Mark	12
189	CYLINDRICAL MOULD NON ISI MARK	150mmdiax300mm High,Cast Iron	6
190	BEAM MOULD	150mmx150mmx700mm	6
191	CONCRETE PAN MIXER	40 Ltr Capacity Drum:535mm,Depth Of Drum:355mm Hp OfThe Motor :3 RPM Of The Gear Box:30	1

192	ULTRA PULSE VELOCITY TEST INSTRUMENT	Display-2x16lcd Dimensions:230x245x90 ,Batteries- 3.4,Range-O.1u Sec.To 9999.9 U Sec,Units: Time,Tempurature Ot05 Degree Power 7.2V.D.C Up To 5 Meters And Above Output-Upto 10 Meters With Amplifier And Suitable	1
193	G.I. MIXING TRAY	900x600x70mm	1
194	TAMPING ROD	16mm Dia And 60cm Long	1
195	VIBRATING TABLE	1000mmx1000mm	1
196	CONCRETE CUTTING MACHINE	3200w,Weight :11.9kg,Raneg:350mm, (WXLXH=142x534x168mm,RANG E 350mm	1
197	CONCRETE SAWING MACHINE	Electric Motorised	1
198		COMPUTERS:	
199		CPU:11th-gen Intel i7 Graphics: NVIDIA GEFORCE RTX(16GB) mother board: Intel 500 series (gigabyte*57 AORUS gaming pro) RAM:up to 32Gb storage:up to 1 TBSSD Display 20inch, real time camera, accessories:Magic mouse,headphones with mic.	30
200		CPU:11th-gen Intel i7 Graphics: NVIDIA GEFORCE RTX(8GB) mother board: Intel 500 series (gigabyte*57 AORUS gaming pro) RAM:up to 16Gb storage:up to 1 TBSSD Display 20inch, real time camera, accessories:Magic mouse,headphones with mic.	4
201		Ram:16GB,SSD HARD Disk:256 GB (TB) processor:i7,11gen keyboard dell,mouse dell,Graphic card :RTX-3060 Series,Mother board : Intel 500 series	37
202		Processor:Intel Core i9 10940*(14 Core,28 threads,Up to 4.6 GHz)Motherboard:X299 Chipset ATX Motherboard RAM:16GB DDR4 3600MHzx2 Graphic Card: NVIDIA Quandro RTX 4000 8GB *1SSD:4TB Samsung 870 Evo SATA ssd X 1HDD:1TB WD Blue/Seagate Barracuda SATA HDD 7200 power 1000w windows 10 processor 64 bit Trial service: Standard-3 yrs &7 days DOA policy	27
203		Processor:Intel Xeon E5 2630 V4 Core,20 Threads,Upto 3.1ghz) Motherboard:Intel c612 chipset,graphic card RTX 5000 16Gb SSD:1 Tb Wd blue SATA HDD 7200 power : 1300W 80 plus platinum certified full-Modular CPU Cooler:Intel Xeon Case:Mid Tower Cabinet Monitor: Samsung 24"FHD VA panel 144 Hz 1 ms MonitorX1	1

204		CPU:11th-Gen Intel i7, Graphics NVIDIA GEFORCE RTX(8GB),Motherboard:Intel 500 series RAM:up to 16 GB,Storage:Up to 1 Tb SSD, Display:15.6 Inch Real time Face Camera Accessories: Magic Mouse/Magic Trackpad key Board (Optional)Headphones with mic.	2
205		Dell inspiration 5418 Laptop Intel i5 - 11320H,16GBDDR4,512 GB 14 inches backlit 1.46kgs	10
206		Dell inspiration i7 5770 workstation ,core i9 12900 Hpro,NVIDIA RTX A3000-12GB,32GB DDR 5-4800 MHZ,6 cell	2
207	Digital AM-4202 Lutron Anemometer	Model Name/Number AM-4202Battery Life: Long LifeDisplay Type: Digital	1
208	Digital Sound Level	Model Name/Number VTSL Brand : V Tech Occuracy : 1.4	2
	Meter	dB Calibration : automatic Display: digital	
209	Maximum and minimum thermometer	Temperature range : 40 to 120 Degree F material : ABSType: Analogue Thermometers length : 6 Inch	2
210	Digital Thermometer Hygrometer Barometer	Operating humidity: Less than 90 % R.H Operatingtemperature: 0 to 50 Degree C Display : LDC Display	2
211	Wet & Dry Bulb Hygrometer	Dimensions 13.1 x 3.8 x 1.7 inches	1
212	Wind Vane	Resolution of direction : 1 Degree Model: WI-01 Operatingtemperature: -40 to + 60 degree Celsius Material : MS	1
213	Sunshine Recorder	Application: Sunshine Recording Material : Mild Steel, Brass ,Glass	1
214	Brass Prismatic Compass	material : Brass style: Nautical	1
215	Tipping Bucket Rain Gauge	Material ; Raingauge Shell Made Of Frp Occuracy: Better Than + 5% Operating Temperature: -40 O C To +50 DegreeC Rim Diameter: 203 Mm Resolution: 0.5 Mm	2
216	Digital Indoor Hygrometer Thermometer	Temperature range: 50 deg C ~ 70 deg C (-58 deg F ~ 158 degF) Humidity range: 10% ~ 99% RHBattery level: AAA 1.5 V Temp. Accuracy: +0.5 deg C (0 deg C ~ 40 deg C) deg or +/- 1%	2
217	Lensatic Brass Compass	Model making 3 x 3 x 1.2 in	2
218	Globe	Weight: 3 kg	2

219	Thermometer	Temperature range: 100 deg C to 400 deg C Features: Mercury / Red alcohol filled glass thermometer Type: Analogue Thermometers	2
220	Anemometer Cup Counter	Occuracy: 0.1 km Range: 0 - 99999.9 km Display type: 6 digit Mechanical counter	2
221	Climate Toolbox		1
222	Climate Engine		1
223	Drought Tracker		1
224	Climate Tracker		1
225	Seismic Tester		1
226	Testo 875		1
227	Total station	A truly integrated system Long EDM range: reflectorless up to 800 m in prism mode up to 3,000 m 3.5" Display with touch screen Easy transfer to PC via USB mini, RS-232C data port and USB Flash Drive Bluetooth class 2 Available in 1", 2", 3" & 5" accuracy	1
228	Metric Chain	30m With 10 Arrows	2
229	Prismatic Compass With Tripod	Size 100mm Material : Stainless Steel	6
230	Wooden Cross Staff	With Steel Pole	6
231	Plane Table With Accessories	Tripod Plain Alidade Spirit Level Trough Compass Plumbing Fork (U Fork) Plumb Bob Tripod	6
232	Ranging Rods	3m and 4m Material : MS Size: Dia : 1" X Length : 3 Mtr X Thickness : 16 Swg	30
233	Measuring Tape	Length:30m Tape Width : 10-15 mm	30
234	Steel Arrows	Length 400mm With Radium And Ribbon With Tripod Stand	20
235	Box Sextant	With Tripod Stand Size: 3" X 3" X 1.75" Material :SS Finish : Antique	4
236	Theodolite	With Tripod Stand And Leveling Staff Vernier Transit Theodolite	4
237	Digital Theodolite	Levels Plate Level 30 Inch /2mm	1
238	Optical Square	Ranging Poles 900 Cathetus 25 x 10mm	1
239	Planimeter (Enkay)		2
240	Dumpy Level	With Tripod Stand And Leveling Staff Accuracy: 1mm	6

241	Cutting and Engraving Laser Machine	Model : CMA-1390 Laser Power : 60-130W LASER TYPE :CO2 POWER SUPPLY: 220-240 V,50/60 Hz	2
242	Makerbot Replicator + 3D Printer	MODEL : Makerbot Replicator+ MEMORY STORAGE: 2GB WATTAGE: 100 Watts	2
243	Digital non-contact tachometer	Usage/Application Industrial Material ABS Operating Temperature 0 DegreeC to 50 DegreeC Storage Temperature -20 DegreeC to 70 DegreeC Battery type (2) 1.5V LR6(alkaline) AA battery Battery life About 40 hours	1
244	Displacement measuring system (eddy current base)	Model 85811-01+85745-01 Extended Cable (2m) 85811- 01+85745-01A Extended Cable (4m) Measuring Range 1.5 or2mm (Optional) Sensitivity 8 mv/µm Resolution 1µm Linearity 1.5% Temperature Drift 0.1%°C Power Supply -24VDC	1
245	Impact Hammer	Model Name/Number IH-01 Measurement Range 200N,25mV/N Tipes Soft, Medium,Hard,Aluminum Measurment Range 200 Npk Resolution 6 mNrms LowFrequency 1 Hz Hammer Length 250 mm	1
246	Amplifier of the Exciter	Fosi Audio BT10A Bluetooth 5.0 Stereo Audio Amplifier Receiver 2 Channel Class D Mini Hi-Fi Integrated Amp forHome Passive Speakers 50W x 2 TPA3116	1
247	Stroboscope	DT-2249A Lutron Stroboscope, New generation Stroboscope:-Digital synthesis circuit, high stability and high adjustment resolution. Range : 60 to 32,000 RPM Adjustment resolution : 0.1 RPM (1,000 RPM), 1 RPM (1,000 RPM) High intensitylight. Setting button : digital rotate button, X 2 button, 2 button, + button, – button, easy to adjust the desired RPM.	1
248	500/1000V Precision Woodworking Mini Lathe Machine	This wood lathe machine can work on beads by high efficiencyto make surface smooth Voltage: 220v motor power: 580w motor speed: 100-5000rpm Main shaft external thread: m14x1 Maximum machining diameter: 40mm maximum working length: 300mm	1
249	Chisel Set	Package Contents: 3-Piece Wood Chisel Set (1/2 x 7 3/4, 3/4 x7 3/4, 1 x 7 3/4) Durable precision ground cutting edges Blades uniformly hardened for full length use Blades are also heat tempered and lacquer coated to prevent rust Chisel applications	3
250	Mallet Hammer	Soft face hammers Rubber head helps minimize marring and surface damage Tough rubber head molded to a wood handle For Striking blows where steel hammers would mar or damagesurface	3
251	Hand Planer	Materail :Metal High grade Cast Iron Body High Corbon Steelcutting Iron blade	3

252	Screwdriver Set	40-piece socket set combines most popular sockets for easy accessibility. Also includes the most common screwdriver bits. Scroll down the page for a full list of included pieces. Chrome-vanadium steel forged body for torque, strength, and durability Full polished-chrome finish for anti-corrosion	3
		protection Quick-release switch and reversible mechanism for easy operation both Metric and SAE sizes included Case provides convenient tool storage and portability	
253	Sound level meter	Extech Datalogging Sound Level Meter, Model Name/Number: SDL600, Model Name/Number SDL600 Display Digital Measurement Range 30-130 dB Accuracy 1.4 dB	1
254	Exciter	Application Enhance a Signal By Dynamic Equalization, Phase Manipulation Body Material Cast Iron Surface Treatment Color Coated	1
255	Band pass filter	Technical Specification: - Built in power supply : +15V & -15V DC - Mains : 230V AC - Dimension : 27CMS X 17CMS [metal cabinet]	4
256	Acoustic Contact Sensor,	STM32F469 series Accelerometer, Gyroscope, Humidity, Pressure, Sound, Temperature Sensor Evaluation Board Ultrasonic Level Sensor	4
257	Ultrasonic 0-600mm Displacement Sensor with display indicator	make in India Range: 5 mtrs Output: 4-20 mA Range 0 to 20 mm	2
258	The display unit of the LVDT	Display 3-1/2 digit LED Resolution 0.1 mm Excitation 2 Volts RMS 5 KHz, Sine wave	2
259	Acoustic sensors	GI150/1 acoustic emission sensor, built-in 40db28V amplifier Load pressure Flat Membrane Box Force Sensor	4
260	force transducer	Transducer Stress Measuring 50KG 200KG 1000KG 5ton 10T for Shock Hit Tap Test Range 0 to 20 mm	4
261	The display unit of the LVDT	Display 3-1/2 digit LED Resolution 0.1 mm Excitation 2 Volts RMS 5 KHz, Sine wave	4
262	2 DOF Rotor System Set-up	To determine the natural frequency of undamped torsional vibration of a single rotor shaft system	4
263	Hand Saw	Item Dimension: 455.0mm x 80.0mm x 175.0mm 150mm x 80.0mm x 175.0mm 300mm x 80.0mm x 175.0mm The Black + Decker solid frame hacksaw allows good cutting depth and can handle many cutting applications Cuts to perfection at 45/90 degree angles Holes in base of the tool for fastening and storage One piece injection molded mitre box for strength and durability Scale for measurement on the mitre box	3
264	Hacksaw Frame	Compact, resistant and light this frame allows the user to make fast and precise cuts Frame	3

		in tubular steel guarantees a more robust tool for working Anatomic easy to hold and workat its best performance	
265	Tri Square(12")	Precision-etched stainless steel blade.Heavy duty stainless steelblade will not rust or corrode Try Square scale is generally oiled to make it rust proof	3
266	Set Square(18")	Precision-etched stainless steel blade.Heavy duty stainless steelblade will not rust or corrode Try Square scale is generally oiled to make it rust proof	3
267	Wire Stripper	Multi-purpose tool for stripping and cutting 10-22 AWG solidcopper wire or aluminum cables Serrated nose provides a strong grip, making it easy to bend, twist, shape, or pull wire Can be used for crimping insulated and non- insulated terminals	3
268	Bench Vace	Made of CI Casting material Application :Holding small partsin Jewelry, Watch, Hobby, Model making, Electronics, Home and Work-Bench and many other applications	3
269	cable cutter	holding and looping Cutting range: 35sqmm. Awg american wire gauge: 14-8 dia. Hole: 1.6/2.0/2.6/4.0Mm cable core sectional area: 2.5-10Sqmm applicable to a variety of wire precision stripping Made of carbon steel, electrophoresis, blackoxide finished for anti-rust, hardness approx hrc48-53. The grinding blades for sharp cutter and stripper. High carbon tool steel 3-times longer life with accurate stripping Plastic handle and spring auto load provide user comfort and smooth operation. Light, handy and excellent durability	3
270	Cutting Plier	Made of Forged Special selected steel C-65 ISO 9001:2008 certified excellent quality and Sleeve made of TPR (Thermo Plastic Rubber) Which can withstand temperature range of - 25C to 70°C Certified for 1000 Volts application (Marked on Pliers Sleeve) Double Dip sleeve handle with cushioned grips for extra comfort with superior abrasion resistance , Product Weight: 300 grams	3
271	Tin Cutter	PRECISION: Precision Ground Sharp Cutting Edges enable easy cutting of the metal sheets. HIGH HARDNESS: Higher Hardness of 55 to 60HRC on the Cutting edges ensures long cutting edge life. FEATURE: Fitted with Specially designed coil springs to enable better spring movement as compared to traditional leaf springs. DESIGN:The Coil Springs are so designed that the same can also be removed easily in case thespring is not required by the user.	3
272	Nose Plier	Full body Hardened for longer life &Made of Forged Special selected steel C -50 Certified for 1000 Volts application (Marked on Pliers Sleeve) &Hardened Rivets for superiorperformance & shelf life Double	3

		Dip sleeve handle with cushioned grips for extra comfort Sleeve made of TPR (Thermo Plastic Rubber) Which can withstand temperature range of - 25°C to 70°C	
273	Hammer	Soft grip ergonomic handle for comfort and grip Fully heat treated carbon steel head for strength,durability and safety Hardened and tempered tubular steel shaft for strength Flock filled rubber grip for comfort and durability 5 Tonne force fit heah to handle assembly for imrpoved safety Seamless,oval,tubular steel shaft for strength and balance	3
274	Air blower	Offers highest power-weight ratio amongst its class: 620W at 1.7kg Offers combination of power of 620W and airflow of 3.5m 3/min Easy to service and change carbon brush design Lock on button for constant on convenience Offers highest cleaning efficiency amongst its class	2
275	5 meter Tape	Rugged Rubber case- Impact resistant and provides Anti-Slip Hold 200 cm stand out for optimized one person control Double-End big hook for versatile grips and measure Tylon Coated blade which is long lasting and easier to read	3
276	Four inch Angle Grinder	Speed: 11,000 rpm, Spindle Size: M10, Cable: 2m820 watts powerful motor makes grinding and cutting operations run smoothly. Runs at 11000 rpm making all grinding operations easy and fast Body Grip: The body of this tool is layered with a special material that ofers a firm hold as you work with it. Ideal for metal grinding, polishing and stone, granite and metal sheet cuttings Dust sealed switch Lock on switch for continuous use	2
277	Four inch Cutting Machine	Rated power input 1200 w; Saw blade diameter 110 mm; Cutting depth in marble 34 mm Good dust insulation to keep the powerful motor for reliable life time,Ergonomic designed handle for user-friendly operation, especially for vertical cutting, comfortable handling thanks to the wide base plate and optimize designed water device adaption	2
278	Hacksaw Blade	Steel blade with high tension	10
279	Spirit Level	Material: Aluminium Large tubular side vials, with consistent accuracy in readings	3
280	Wood file	Cut quickly and smoothly since the files cut on both the push and pull strokes With ergonomic design, anti-slip and comfortable grip handle	3
281	C Clamp	Heavy Duty and Robust cast-iron frame for strenght and durability.Roll-formed screw with threads ensure smooth operation and durability. Fine thread screw for long lasting performance and Oversized T handle for extra grip. Corrosion- resistant frame finish. Perfect G Clamp for Wood work, Metal , steel Clamping	3

		Applications.	
282	110V-240V 30W Professional Foam Cutter Portable Foam Cutting Pen Polystyrene Cutting Machine Styrofoam	Designed to help you cut polystyrene foam and similar material much easierStart to cut foam anywhere of the foamboard Easy to cut art ad curve of foam	3
283	Display racks madeas per design	rack ith ht 7', depth 6", slanted arranged horizontal racks	15
284	pinup board	4' X 8' panel pinup boards	20
285		All stone carving chiseis and Hammers set	2
286		Bench vice 8 inch x 8inch	1
287		Chetan plastic Unbreakable basin 130 plastic multipurposebath Tup/ Washing Tub 5 LTR	2
288		BOSCH GBL 82-270 Professional Blower 06019804F5, 1 Piece	1
289		Wood cutting powerful Hand Saw With Hardened steel blades450mm	2
290		Metal Sheet hand Cutting scissor heavy duty	1
291		Bosch 500W Professional jigsaw ,GST 700	1
292		Bosch 190w Orbital sander, GSS 2300	1
293		Bosch GGS 5000 L Die GRINDER 500w	1
294		DREMEL 3000JA ROTARY TOOL ,130W,33OOORPM	1
295		DREMEL ACCESSORY Kit, for use with Dremel Tools	1
296		10 inch pipe wrench taparia	1
297		8 inch Adjustable Spanner taparia	1
298		Donkey chairs	20
299		Table (h2.5x2x2 ft)	20
300		Disply cork boards with stand (w 8 x H 4 Feet)	6
301		Fire blower/ torch	1
302		Heat Gun	1
303		Easels	40
304		Life study stands 6 feet	15

305		life study stands 3 feet	15
306		Drawing boards	40
307		Metal racks 8 ft height	6
308		Ceramic equipment	unit
309		Gas welding equipment	unit
310		Gas wire Extension boards with Triple points 4 single point 2(for welding machine)	4
311		Hydraulic trolley heavy duty	1
312		Table medium (h2.5x6x3 ft)	2
313		Drilling machine big	1
314		Metal casting equipment	unit
315		Tables big (h2.2.5x8x4 ft)	2
316		Bench drill stand	1
317		Bosch 06016A00F0 GKF 550 palm Router (550W)	1
318		Total	
319		Red bricks	500
320		Iron L angle 20 feet full lengths (6mm/1.5 inch)	9
321		Fire wood	3 ton
322		Crowbar straight (gaddapara) small+big	2
323		Sprinrg caliper inside outside divider 12 inch of 3 types(portrait measurement compass set)	10
324		Nails 1 inch, 2 inch , 4 inch, (3 kg each)	9 kg
325		Iron rods (4mm,6mm)	100 kg
326		Chromium steel saw 3 edge sharpen teeth with plastic coverand blister packing	2
327		Garden pressure spray pump (Assorted, plastic &metal)	2
328		Water spray	10
329		L Scale steel 30 inches any brand	1
330		L Scale steel 12 inches any brand	1
331		G A Wire -2mm, 4mm (50kg)	1

332		Binding wire -10 kg	1
333		Rod bending livwrs 4mm ,8mm , 12mm (each one)	6
334		Metal sheet hand cutting scissor small	1
335		Modelling wheels	20
336		portrait stands	20
337		6pc Triangular ,square ,round, half, round, fiat and HalfRounr Files Hand Tools set for metal tools sharpening	1
338		6pc Triangular ,square ,round, half, round, fiat and HalfRounr Files Hand Tools set for wood tools sharpening	1
339		Chisels flat	8
340		Bosch electric bench top cut-off saw GCO 14-24 J (Bosch061B72F0)	1
341		All wood carving chisels and mallets set	1
342		Bosch GBG 35-15 Professional bench grinder (blue)	2
343		Bosch SSB Plastic 550w coeded electric mechanic kitprofessional drill (Blue, 262x65.5x253 mm)	1
344		Filtering mesh -2 grades in 1 big (3x4 ft)	1
345		Filtering mesh small round 2 grades	2
346		Trolley any brand (2x3 ft)	2
347		Black smith anvil	1
348		Total	
349		CEL CONTINUOUS LIGHT SOURCES (5LIGHTS) WITHREFLECTOR AND SOFT COVERS	4
350		PORTA LIGHT	4
351		WHITE UMBRELLS	8
352		OSRAM 1000 WATTS TUBE	10
353		ELINCHROME STOROBE LIGHTS ELC 500	4
354		ELINCHROME ELC PRO HD 1000	2
355		ELINCHROME SKYPORT TRIGGER	4
356		SEKONICL-308X FLASHMATELIGHT	2
357		SNOOT AND GRID 15 DEGREE	4

358		BARNDOOR 21 CMS	4
359		21 CM GRIDS OF (30 DEGREE)	2
360		FS 30 ACCESSORY SET (COLOR GEL)	2
361		ELINCHROME SOFTLITE MINISOFT 44 CM WITH DEFLECTOR SET	4
362		ELINCHROME MAXI REFLECTOR 21 CM	2
363		ELINCHROME MAXI REFLECTOR 40 CM	2
364		ROTALUX 100 X 100 SOFT BOX	4
365		ROTALUX 135 OCTA	2
366		ROTALUX DEEP 100 OCTA	2
367		ROTALUX STRIP BOX 35 X 90 CM	4
368		ROTALUX STRIP BOX 130 X 50 CM	4
369		ELINCHROME DEEP UMBRELLA SILVER ,WHITE AND TRANSLUCENT 105 CM	3
370		ELINCHROME DIFFFUSION CLOTH 105 CM WHITE	2
371		ELINCHROME LIGHT MOTIV PARA 120 CM	2
372		ELINCHROME LIGHT MOTIV BRACKET	2
373		HEAVY DUTY STANDS	8
374		C STAND WITH ADAPTER BOOM ROD	3
375		MAGIC ARM	2
376		LIGHT WEIGHT STAND (PHOTO QUIP)	6
377		TRIPOD -MANFROTO 058B TRIAUT 0R MANFROTO SUPER PROFESSIONAL MKT	2
378		BLACKGROUND CURTAIN CLOTH BLACK, WHITE, GREY, RED, GREEN, BLUE, YELLOW	14
379		AIR CUSHION BACKGROUND SETUP impact pro backdrop support kit (12.9 width)	1
380		BACKGROUND POLES (20 FEET) 076B (AUTOPOLE)	4
381		MODELLING CHAIRE (deal dhamaal height adjustable swivel PVC black)	6
382		5 IN ONE REFLECTORS	6
383		SUPER CLAMPS (E-image)	10
384		BACKGROUND SUPPORTING SPRING CLAMPS	20

385		STILL LIFE TABLE TOP (Haibing)	1
386		TRANSCEND RDFS USB 3.1 MULTI CARD READER	2
387		CAMERA BAG VANGUARD	1
388		Cannon EOS R (Body)	2
389		CANNON RF 24-105mm f/4 IS USM	2
390		CANON RF 50MM F/1.8	2
391		EXTRA BATTRIES FOR CAMERA	2
392		GODOX FLASH V 860 II FOR CANON	1
393		64GB MEMORY CARDS (170 MBPS EXTREME PRO)	10
394		STABILIZER - RONIN RS 2	1
395		ANDBON DRY CABINET	1
396		Fotoconic Horizontal Tripod Arm,3/8 "Screw Adjustable23.62"Support Tripod Extension Bar Stand for Camera	2
397		Backdrop Rod(HIFFIN Curtain Rods With Conversion Adapter Convert the Light Standinto a Background System 3Feet Each Rod 3 Pcs Set	4
398		Heavy Duty Light Stand Steel (Metro Cine Light)	4
399		ELINCHROM PORTALITE SOFTBOX 66X66CM	6
400		SONY FX6 FULL-FRAME CINEMA CAMERA (BODYONLY)	2
401		Sony FE 24-70 mm F2.8 GM Lens	2
402		SMALLRIG 3225 PRO KIT FOR SONY FX6	2
403		Sony BP-U70 Lithium - ion battery pack	4
404		Sony 128 SF-G Tough series	2
405		Video Tripod - Manfrotto Nitrotech 608 Video Head, AluTwin Leg Tripod GSMVK 608TWINGA	2
406		Vanguard Plastic Supreme 53F Duty Watreproof and Dustproof professional Hard case With pick N pluck foaminterior, Black	2
407		SONY CFEXPRESS TYPE A/SD CARD READER	2
408		Manfrotto 357-1 Rapid Connect adopter with 357PLV-1Camera Plate	2
409		L-858D-U Speed Master	1

410		Sony Video Recording for Multi Cam Purpose, Cables and Connections	1
411		Mac Pro video Editing suit Mac Pro(APPLE) 3.2GHZ 16-Core Intel Xeon W processor, Turbo Boost up to 4.4GHZ 48GB(6x8GB)of DDR4 ECC memory ITB SSD Storage Stainless steel frame with feet Magic Mouse + Magic Trackpad Magic Keyboard with Numeric Keypad - US English	4

SYAMALARAO JAMJAM
PRINCIPAL SECRETARY TO GOVERNMENT